

THE CAMERA CRAFTSMAN

Vol.	Year	Issue	Article
15	1969	1 Jan/Feb	F Feature
16	1970	2 Mar/Apr	S Sub-Feature
17	1971	3 May/June	T Technical Forum
18	1972	4 Jul/Aug	DE Data Exchange
19	1973	5 Sep/Oct	P Personality
20	1974	6 Nov/Dec	M Miscellaneous
21	1975		
22	1976		
23	1977		
24	1978		

INDEX TO TECHNICAL ARTICLES 1969-1978

Item	Vol.	No.	Item	Vol.	No.
Aerial Cameras, A Primer	F	15	Part IV	F	24
Part II	F	15	Conclusion	F	24
Agfamac 300 Sensor	F	19	Canon Auto Zoom 518 Movie Camera	DE	20
Agfamac 2000 Sensor, The	S	21	Canon Auto Zoom 814, disassembly	DE	18
Agfa Microflex Sensor, The	F	16	Canon Demi C, shutter disassembly	DE	18
Agfa Movex SV Autoload, disassembly	DE	22	Canon Demi EE17, transport access	TF	15
Agfa Optima II (and similar models), exposure adjustment	DE	17	Canon Denis (S), shutter access	DE	18
Aires 35-III, disassembly	DE	17	Canon FL 50mm 1:1.4 lens	TF	19
Aires Viscount, disassembly	TF	17	Canon F-1, Part I	F	20
Alpa 6C, disassembly	TF	17	Part II	F	21
Ampro 8 Model 350, disassembly	DE	18	Part III	F	21
Angle of View	S	22	Canon FT, FTb, and TLb, meter adjustment	DE	22
ANSI Standards	M	20	Canon Lens FD (50mm 1:1.8 C.C.)	T	23
ANSI Standards	M	20	Canon in New York, discussion with	S	21
Argus A-5	DE	18	Canon MF Motor Drive, Part I	F	21
Argus Autronic II	DE	22	Part II	F	21
Argus Pocket Carefree 110	F	19	Part III	F	21
Argus Showmaster 822, Super-8	TF	15	Canon Model Vt deluxe, cover plate removal	TF	19
Argus V - 100, shutter removal	DE	18	Canonflex camera, disassembly	TF	17
Auto Aragon Lens 135mm, disassembly	DE	18	Canonet 35mm — Horizontal Range Finder Adjustment	DE	23
Autocollimator Test Techniques	SF	24	Cartridge Cameras, Repairing	DE	24
Autocollimator, Use of Cine Speeds Testing for	DE	24	Classic Cameras, Collecting and Repairing	S	19
Auto Nikkor Lens, 50mm f/1.4	F	19	Cleaning Hint (Ultrasonic cleaners)	DE	23
Auto Yashinon-DX, f4/80 - 160mm zoom disassembly	TF	18	*Compur Electronic and Its Secrets, Part III Part IV	F	15
Auto Yashinon f/1.8 55mm lens, disassembly	M	22	Compur Shutter for Kodak 4 x 5	F	15
Automatic Lens, Servicing the	F	20	Contaflex Beta model, disassembly	DE	20
Auto System 7	M	20	Contaflex Super, timing the exposure meter	TF	19
Auto System 7	M	20	Contax RTS, Normal Lens for	SF	24
Bags, Air	DE	21	Copal Shutter, Canonet QL, delayed action escapement replacement	DE	18
Battery Tester, GT-3, product review	M	21	Corbin Synchro Shutter, The	S	22
Beaulieu S2008, various removals	DE	21	Cosinon Auto f/1.4 55mm lens, disassembly	TF	19
Bell & Howell/Canon Cine Canonet 8, disassembly	DE	17	Curtain Travel Time, Checking with the Comparascope or Motion Analyzer	DE	23
Bell & Howell Movie Camera Model 442 left-hand cover removal and meter cal.	DE	21	Dacora-Matic 4-D, shutter removal	TF	15
Bell & Howell Servo-mechanism	S	16	DeJur D1, top cover removal	DE	22
Bell & Howell Zoomatic Double 8, motor mech. removal	DE	22	Diaphragm blades, cleaning	DE	20
Berthoit Paris Pan-Cinor 1:3, F=25-100mm disassembly for focus adjustment	M	15	Digital Electronics, Part 1, A Basic Course In Part II	S	22
Beseler Topcon Auto 100	SF	24	Part III	S	23
Bittco Super Vemar f/12.8 35mm lens, disassembly	TF	16	Part IV	S	23
Bond-Fix and Bond-Solv, product review	M	21	Dry Moly Application	DE	22
Braun AMC Reflex M335, disassembly/reassembly	TF	16	Electro Optical Components, Sec. 1	SF	24
Braun Paxette Automatic Super III, disassembly	DE	19	Electro Optical Components, Sec. 2	SF	24
Bronica Nikkor-P f/2.8 7.5cm lens	TF	18	Electronic Flash Testing, New Tool Designs	S	21
Bronica S-2, mirror replacement	DE	17	Electronic Flash Capacitor Shorting		
Burglar Alarm, Inexpensive	DE	23	Resistor & Battery Test Load Resistor	DE	23
Canon AE-1 Workshop Feature	S	23	Electronic Shutters, Seiko Type, Testing with the Comparasystem	S	21
Canon AE-1, Part I	F	23	Electronics in cameras	F	20
Part II	F	23	Elmarit-R 28mm f/2.8 lens, disassembly	DE	22
Part III	F	23	Elmo 90mm f/4 lens, disassembly	M	22
			Elmo C300 Super-8 Camera, side cover	DE	21
			Eumig C-16, disassembly	TF	17
			Eumig Mini 3 Zoom Reflex	F	19

	Item	Vol.	No.		Item	Vol.	No.
Eumig MK 5, 8mm sound projector, motor removal	DE	22	1	Kodak's New Pocket Instamatics	S	18	3
Exa IIa, Disassembly	DE	24	1	Kodak Pocket Instamatic 20	DE	20	1
Exakta delayed-action and shutter speed operation instruction	TF	15	4	Kodak Pocket Instamatic (20,30,40), mechanism plate	DE	22	2
Exakta, Old Models, shutter repair	DE	21	4	Kodak's Instant Cameras	S	22	3
Exakta RTL 1000	S	23	4	Kodak XL55 Super 8 Movie Viewfinder disassembly	DE	20	3
Exakta RTL 1000, right side cover removal	DE	20	4	Konica Autoreflex T-Sync terminal replacement	DE	21	1
Exakta VXiIIa Pentaprism Viewfinder, disassembly and cleaning	DE	20	3	Konica Autoreflex T-2, top cover removal	DE	22	5/6
Exposure Control on Still Cameras, Part I	F	17	2	Konica Autoreflex T-3, Part I	F	22	2
Part II	F	17	3	Part II	F	22	3
Exposure Value Nomograph	DE	22	5/6	Part III	F	22	4
Far-Out Lenses	F	20	5	Konica Auto 5-2	DE	18	3
Film (Super 8) Cartridge Modification, for movie camera speed tests	DE	17	5	Konica Auto 5-2, shutter removal	TF	16	1
Flange-Focal Distances (in millimeters)	M	21	6	Konica C35, Servicing	SF	24	4
Flash Tester, Simple Camera	DE	21	2	Konica EE Ring, problem with	DE	22	5/6
Flash Testing Connector	DE	21	3	Konica FS SLR, disassembly for shutter access	TF	16	6
Flash Units, Energy Conserving, from Quench Tubes to Series-Thyristor	F	21	6	Konica Hexanon 1.8/52mm lens	DE	21	4
Flexiclamp, lenses too large for	DE	17	6	Konica Model FS, disassembly	DE	17	6
Flexiclamp, slim adaptation	DE	21	2	Kowa 50mm f/1.8 lens (SE, SET), diaphragm cleaning	M	22	4
Focal Reflex Zoom 900F, disassembly	DE	22	3	Kowa SE f/1.9, 50mm lens disassembly	TF	16	6
Fujica Half, shutter removal	TF	15	3	Kowa SE—shutter (lens)/front plate assembly	TF	18	3
Fujica ST 701, film advance return	DE	21	5	Kowa SE SLR, f/1.9 50mm lens, disassembly	M	22	2
Fujica ST 801, Part I	F	19	6	Kowa/SIX 2 1/4 SLR, light trap sticking solved	DE	18	1
Part II	F	20	1	Leicaflex, Part I, The	F	22	4
Fuses in Electrical and Electronic Equipment	S	21	3	Part II	F	22	5/6
GAF Colt 94 Super 8 f/1.7	DE	20	2	Leica M-5	F	20	2
GAF S5250XL Super 8 Movie Camera, Part I	F	22	5/6	Leicas, the M-Series	F	19	3
Part II	F	23	1	Leica II (D), disassembly	DE	22	1
Part III	F	23	2	Leica IIIIF, Self-timer timing	DE	22	1
Part IV	F	23	3	Leitz Elmar f/5 cm 1:3.5 lens, disassembly	M	22	2
GAF Two Sixty Six, top cover removal	DE	19	3	Leitz Hektor f/4.5 135mm lens, removing diaphragm	TF	17	2
Gap Gages	DE	22	4	Leitz Summarit F-5 1:2 Collapsible lens, disassembly	M	22	3
Glue, Hot-Melt Application	DE	24	2	Lens Filter Flange, straightening	DE	18	1
Gossen Luna Pro, Repair and Calibration of the	DE	23	6	Lens Flange to Film Plane Distance, measure	F	21	3
Gossen Lunasiz, Adjusting	F	16	5	Lens Mensuration Fixtures, How to Use NC	F	17	1
Grabber, The, product review	M	21	3	Lens Performance, Measuring	S	21	1
Graflex 120 Roll Film Holder, top cover removal	DE	22	2	Lenses - Special Issue	S	20	5
Graflex 220 roll film holder, reassembly	TF	15	6	Lip-Sync Super 8	S	20	2
Hanimex Praktica Nova 1B, disassembly	TF	16	2	Mamiya Auto Lux 35, disassembly	TF	18	1
Hasselblad Distagon, Removal of Synchro-Compur 0-MXV Shutter	S	21	2	Mamiya C-220 TLR, transport	DE	18	4
Hasselblad EL: Motor, mirror cage & gear box removal	DE	22	1	Mamiya "Family" model SLR, shutter removal	TF	16	4
Hasselblad 250mm Sonnar, f/5.6	S	20	6	Mamiya RB 67 disassembly	DE	19	4
Hasselblad Zeiss Planar 1:2.8 80mm lens	S	20	4	Mamiya RB 67 - 120 disassembly	DE	24	3
Heathkit's Self-Study Programs in Electronics	S	23	5	Mamiya/Sekor C-220 (and C-330)	DE	21	2
Honeywell Auto/Strobonar 772	F	19	2	Mamiya Sekor f/1.7 58mm lens, removing diaphragm	TF	17	1
Honeywell Lumetar Lens	F	20	5	Mamiya Sekor 500 TL	DE	18	5
Honeywell Pentax ES, Part I	F	19	5	Mamiya 500-1000 DTC	DE	20	4
Part II	F	19	6	Mercury Batteries, voltage characteristics	DE	17	4
Honeywell Pentax 6 x 7, tightening PC terminal	DE	18	3	Metrology of a Simple Lens, The	S	22	4
Honeywell Pentax 1 ¹ / ₂ 21 ¹ / ₂ Meter, Disassembly	DE	23	1	Miida Automatic Zoom f/3.8 75-205mm, disassembly	M	22	1
Honeywell SMC Takumar 55mm Lens	F	20	5	Minox B, The	S	23	6
Index, Technical Forum (1962 - 1971)	TF	18	5	Minolta Autocord, Focusing Lever Replacement	DE	21	4
Inside Front Shutters, Part I	F	16	6	Minolta Auto-Rokkor PF, 55mm f/1.8 lens	M	22	5/6
Part II	F	17	1	Minolta Auto-Rokkor-PF 55mm f/2 lens disassembly	DE	17	5
Keystone 8mm K610	DE	19	6	Minolta Auto Rokkor-PG F 1.2 58mm Lens	DE	21	2
Keystone 808 Movie Camera	S	22	5/6	Minolta Auto-Wide, disassembly	DE	17	4
Keystone K-430 Movie Camera	TF	17	1	Minolta Hi-Matic E, Part I	F	18	5
Keystone K716p Super 8mm, disassembly	DE	19	5	Part II	F	18	6
Kodak Auto 35F	DE	18	5	Minolta (normal) Lenses, Diaphragm Cleaning	DE	21	2
Kodak Carousel Illumination System	S	17	4	Minolta Hi-Matic 7s	TF	18	4
Kodak Ektasound 140 Movie Camera	DE	24	2	Minolta SR-M, disassembly	DE	22	3
Kodak Ektasound 245 Movie Projector	DE	24	2	Minolta SRT 101 f/1.4 Auto Rokkor RP Lens	DE	21	1
Kodak Cine-Special 1, disassembly	DE	17	6	Miranda D, disassembly and timing	DE	17	4
Kodak Instamatic 400, disassembly	TF	15	3	Miranda f/1.9 lens, disassembly	DE	19	5
Kodak Instamatic M16 Movie	DE	20	2	Miranda Sensomat, disassembly	DE	20	3
Kodak M-12, disassembly	DE	20	1	Miranda Sensomat, fail to hold time	DE	21	5
Kodak Model 800 Instamatic, check focus	DE	20	4	Mirrors, Silvering, process	S	21	2
Kodak M-67 Projector, replacement framer	DE	22	1	Multispans/Minispans Holder	DE	23	5
				Multispans Modification	DE	21	3
				Multispans Tips, matching pairs	DE	17	4

	Item	Vol.	No.		Item	Vol.	No.
Multispan Wrench, modification	DE	20	1	Sankyo-Moviemat 8mm lens, disassembly	TF	16	2
Multispan Wrench, modification for large cameras	DE	17	5	Sawyers Mark IV TLR, Seikosha shutter removing diaphragm	DE	20	2
Navy Camera Repair (a report)	S	22	4	Screw Shaft, repairing end thread	TF	17	2
Nikkor P Auto 2.5/105mm diaphragm leaf	DE	21	5	Sears Easi-Load EE 126-X, lens adjustment	DE	17	4
Nikkor P 105mm f/2.5 (new style) Lens	DE	21	5	Sears Model c/31 Super 8, left side cover	DE	22	5/6
Nikkor P 180mm f/2.8 Lens	S	22	3	Seiko Type Electronic Shutters (see electronic shutters)	DE	21	4
Nikkor Q Auto 1.4 20cm Lens	M	21	4	Sekonic Auto-Leader (Mod. 38) light meter, disassembly	DE	20	4
Nikkor S Auto 1:1.4 F = 50mm Lens disassembly	M	21	5	Shim Stock Substitute	DE	22	1
Nikkor Tele-Zoom Lenses, focus lock	M	21	5	Shutter Error Conversion Table	M	18	5
Nikkorex (Model with Seikosha SLV Shutter), disassembly	DE	17	6	Shutter Speed, Fast? Slow?	S	23	5
Nikkormat FTN, disassembly	DE	19	3	Soligor Auto-Zoom f/4.5/90-230mm lens, disassembly	TF	19	2
Nikkormat EL, Part I	F	24	5	Soligor Miranda 50mm f/1.9 lens, disassembly	M	22	4
Part II	F	24	6	Spanner Screwdrivers	DE	20	4
Nikon F, Brake Tool	DE	21	6	Spanner Wrench 13mm	DE	23	1
Nikon F2, The, Part I	F	18	3	Spring Holder	DE	21	3
Part II	F	18	4	Spring Hook Tool	DE	22	3
Nikon F2	SF	24	3	Springs, reinstalling	DE	18	6
Nikon F2, DPI meter	DE	20	6	Steinheil Auto-Quinaron f/2.8 35mm lens	DE	20	5
Nikon F2DP-1 meter, correction to above	DE	21	3	Steinheil Macro-S-Quinon	DE	20	3
Nikon F2 X-Sync Malfunction	DE	24	6	1:1.9, 5mm lens	DE	19	5
Nikon Nikkormats Fs, FT, FTn	S	23	3	Storage, small parts	DE	17	6
Nikon Photomic FTn Finder	DE	23	2	Super-Multi-Coated Takumar f/1.4 50mm lens, disassembly	M	22	3
Nikon Photomic FT Viewfinder, cleaning lens	DE	20	3	Super Ricohflex TLR, shutter removal	TF	16	5
Nikon Photomic Light Meters	DE	21	5	Sync Module	M	20	5
Nikonos flash systems	DE	19	6	Sync Module, Hints on	DE	24	5
Nikonos II, Notes on the	F	22	1				
Olympus EE (35mm) top cover removal	DE	20	3	Technicolor Super VI TTL movie camera, disassembly	DE	22	3
Olympus OM-1, Part I	F	20	3	Testing Sensitive Meter Movements	DE	22	2
Part II	F	20	4	Threading, odd, formula	DE	17	4
Olympus OM-1 Update	F	24	2	Thyristor Electronic	F	17	6
Olympus OM-1 50mm f/1.4 Lens	S	20	2	Thyristor Flash (see flash units)	F	21	6
Olympus Quickmatic EEM, disassembly	DE	19	3	Tool Tips, Special Issue	TF	21	3
Paint Touch-Up Hint	DE	22	2	Tool Tray for Bench Use	DE	22	3
Pentax, see Honeywell				Topcon Super D, modification for meter switch	DE	22	5/6
Pentax Spotmatic F, calibration	DE	21	2	Topcon Super D/DM, Light Meter Calibration and Meter Timing	DE	24	3
Petri FT, access to meter switch	DE	18	2	Topcon (Beseler Topcon Auto 100)	F	24	3
Petri 135 Telephoto f/3.5, disassembly	DE	22	1	Topcon Uni (Beseler Topcon Auto 100)	DE	18	3
Perspective Adjusting Lens Mount for \$5.00	F	20	5	Tweezers, Beef Up Your	DE	22	3
Photographic Circuits, Basic	F	24	4	Vemar Tele-Zoom f/5.6 100-200mm, disassembly	M	21	3
Photographic Standards (ANSI)	S	23	2	Vivitar Movie T14 Super 8, access to trigger switch, zoom lens switches, printed circuit board and motor	DE	18	6
*Polaroid Electronic Shutter, Part I	F	16	2	Vivitar Series One Macro-Zoom lens	F	20	5
Part II	F	16	3	Voigtlander Bessamatic, notes	DE	18	4
Polaroid Focused Flash Unit	DE	19	3	Voigtlander Dynamatic II, shutter removal	TF	15	5
(also)	DE	19	5	Voigtlander Super-Dynaret f/4 135mm lens, disassembly	M	22	2
Power Supplies, DC and AC, product review	S	21	3	Voigtlander Vitomatic II, disassembly	DE	18	2
Praktica Super TL Exposure Meter	DE	24	6	Wards 704 Super 8, disassembly	TF	17	1
Probe, Gentle Wood	DE	22	3	Wollensak Eyematic Model 46, Meter replacement	DE	18	2
Proliner, product review	M	21	3	Workbench construction, suggestions	DE	17	5
*Pronto 500 Electronic, Part I	F	15	3	Yashica Electro 35, Tips on the	S	23	5
Part II	F	15	4	Yashica Lynx 5000 Rangefinder with Copal SV Shutter	DE	18	1
Prontor 500 LK, shutter cocking tool for	DE	19	6	Yashica Super 30 Electric, Disassembly	DE	20	2
Prontor's Integrated Circuits	S	16	4	Yashica Super 40K, disassembly	DE	21	6
Rangefinders, A New Method for Adjusting	F	20	1	Yashica TL Electro X, prism cover spring modification	DE	22	2
Ready Lamp Circuits	SF	24	1	Yashica TL Electro, top cover removal and meter adjust.	DE	22	1
Regula Reflex 2000 CTL	F	18	4	Zeiss Ikon Contina, disassembly	DE	22	5/6
Resolving Power of Photographic Lenses, Part I	F	18	1	Zeiss Jena Biotar 58mm lens, disassembly	TF	16	3
Part II	F	18	2	Zeiss Planar lens (see Hasselblad)			
Part III	F	18	3	Zelox Combi Test Instrument	M	20	3
Retina Reflex, The Enigma of the, Part I	SF	24	6	Zoom lens elements, easy handling	DE	18	6
Retina Shutter-Cocking Tool	DE	18	3				
Revue 6.6, Disassembly	DE	24	3				
Ricoh 500, Seikosha MXL Shutter	DE	20	2				
Ricoh 126-Flex TL5, disassembly	DE	22	4				
Ricoh S-2, disassembly	DE	18	6				
Ricoh Super 8 800Z, removal of left side	DE	21	6				
Ricohmatic 44 TLR	DE	20	2				
Rollei Electronic Flash Units	F	18	2				
Rollei Flash Schematics, E15B, E19BC, E22C and E15	M	19	2				
Rollei Flash Units E15B and E19BC	S	19	2				
Rolleiflex E34C flash and E36RE flash	F	21	6				
Rolleiflex 2.8F—timing relationships	TF	18	2				
Rolleiflex SL 35	F	19	1				
Rollei Front-standard Tool	DE	22	3				

*One of Four articles available in a reprint booklet priced at \$5.00.